	Hits	Search Text	DBs	
1	56	programmable with delay with fuse\$1	US-PGPUB;	USPAT
2	28	adjustable with delay with fuse\$1	US-PGPUB;	USPAT
3	6	(programmable with delay with fuse\$1) same flash	US-PGPUB;	USPAT
4	2	(programmable with delay with fuse\$1) with latch	US-PGPUB;	USPAT
5	11	(programmable with delay with fuse\$1) same latch\$3	US-PGPUB;	USPAT
6	748	latch\$3 with (delay adj2 output\$2)	US-PGPUB;	USPAT
7	260	latch\$3 near2 (delay adj2 output\$2)	US-PGPUB;	USPAT
8	1	(programmable with delay) with (latch\$3 near2 (delay adj2 output\$2))	US-PGPUB;	USPAT
9	5	(programmable with delay) same (latch\$3 near2 (delay adj2 output\$2))	US-PGPUB;	USPAT
10	7	(programmable with delay) same (latch\$3 near2 (delay near2 output\$2))	US-PGPUB;	USPAT
11	7	programmable with delay with fuse\$1	EPO; JPO	
12	1	(programmable with delay) and fuse\$1	IBM_TDB	
13	0	programmable and (delay with fuse\$1)	IBM_TDB	
14	3	(adjustable with delay) and fuse\$1	IBM_TDB	
15	75	programmable with delay	IBM_TDB	
16	0	(programmable with delay) and flash	IBM_TDB	
17	21	(programmable with delay) and stor\$4	IBM_TDB	
18	18	(programmable with delay) and latch	IBM_TDB	
19	21	(programmable with delay) and memory	IBM_TDB	
20	3	(adjustable and delay) and fuse\$1	IBM_TDB	
21	5	programmable and (delay and fuse\$1)	IBM_TDB	
22	0	(mov\$3 adj edge) with delay with programmabl\$1	US-PGPUB;	USPAT
23	8	delay with programmabişi	US-PGPUB;	USPAT
24	2	((mov\$3 or adjust\$3) adj3 edge) same ((select\$3) adj3 edge) same programmabl\$1	US-PGPUB;	USPAT
25	13 /	((select\$3) adj3 edge)	US-PGPUB;	USPAT
26		((select\$3) adj3 edge) same delay	US-PGPUB;	USPAT
27	2	<pre>(((mov\$3 or adjust\$3) adj3 edge) same ((select\$3) adj3 edge)) and (programmable with delay)</pre>	US-PGPUB;	USPAT

	Hits	Search Text	DBs
28	235	<pre>(programmable with delay) with (flip\$1flop\$1 or (flip adj flop\$1))</pre>	US-PGPUB; USPAT
29	20	<pre>(programmable with delay) with (flip\$1flop\$1 or (flip adj flop\$1)) with trigger\$3</pre>	US-PGPUB; USPAT
30	195	((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay	US-PGPUB; USPAT
31	13	((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay same edge\$1	US-PGPUB; USPAT
32	6	<pre>((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay same transition\$1</pre>	US-PGPUB; USPAT
33	0	<pre>((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay same edge\$1</pre>	EPO; JPO
34	0	<pre>((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay same transition\$1</pre>	EPO; JPO
35	31	((mov\$3 or adjust\$3) adj3 signal) same ((select\$3) adj3 signal) same delay	EPO; JPO
36	4	((mov\$3 or adjust\$3) adj3 edge) same ((select\$3) adj3 edge)	EPO; JPO
37	1765	326/93	US-PGPUB; USPAT
38	8	S37 and ((propagation near time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	US-PGPUB; USPAT
39	27	S37 and (mov\$3 with edge\$3)	US-PGPUB; USPAT
40	1174 1	S37 and ((select\$3 or mov\$3) with edge\$3)	US-PGPUB; USPAT
41	1	(mov\$3 with edge\$3))	US-PGPUB; USPAT
42	3	(mov\$3 with edge\$3))	US-PGPUB; USPAT
43	7	((select\$3 with edge\$3) and (mov\$3 with edge\$3)) and ((propagation near time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	US-PGPUB; USPAT
44	902	((select\$3 with edge\$3) same (mov\$3 with edge\$3)) and ((propagation or time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	US-PGPUB; USPAT

	Hits	Search Text	DBs
45	53	((select\$3 with edge\$3) same (mov\$3 with edge\$3)) and ((signal near2 (propagation or time)) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	US-PGPUB; USPAT
46	0	((select\$3 with edge\$3) and (mov\$3 with edge\$3)) and ((propagation near time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	EPO; JPO
47	4	((select\$3 with edge\$3) same (mov\$3 with edge\$3)) and ((propagation or time) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	EPO; JPO
48	0	((select\$3 with edge\$3) same (mov\$3 with edge\$3)) and ((signal near2 (propagation or time)) with (sav\$4 or stor\$5 or read\$3 or retriev\$3))	EPO; JPO